L Number	Hits	Search Text	DB	Time stamp
-	6	graphical same user same interface$1 same retention same system$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 15:42
-	2	graphical same user same interface$1 same retention same system$1 same print$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/04 16:33
-	2	GUI same retention same system$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 15:45
-	1898	(print$4 same system$1) same selected same portion$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:20
-	333	((print$4 same system$1) same selected same portion$1) and user same interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 15:53
-	31	(((print$4 same system$1) same selected same portion$1) and graphical same user same interface$1) and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 16:28
-	4	printing same selected adj portion$1 same graphical adjuser adj interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 16:43
-	223948	print$4 same method$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 17:07
-	32152	print$4 adj method$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 17:08

-	350	((print$4 adj method$1) and selected adj portion$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/31 17:12
-	15	((print$4 adj method$1) and selected adj portion$1) and print$4 adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/04 17:07
-	27515	print$4 same format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/04 17:15
-	10	(print$4 same format) and (retention adj system$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/04 17:17
-	4120	stor$4 same information same print$4 same format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/04 17:17
-	1	(stor$4 same information same print$4 same format) and (retention adj system$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/04 17:17
-	7	printing near (device$1 system$1) same retention adj system$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:05
-	527	receiv$4 same information same print$4 same select$4 same portion$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:11
-	155	(receiv$4 same information same print$4 same select$4 same portion$1) and retriev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:11

-	133	((receiv$4 same information same print$4 same select$4 same portion$1) and retriev$4) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:11
-	107	(((receiv$4 same information same print$4 same select$4 same portion$1) and retriev$4) and memory) and interfac$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:12
-	35	((((receiv$4 same information same print$4 same select$4 same portion$1) and retriev$4) and memory) and interfac$4 graphical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:17
-	5	(((((receiv$4 same information same print$4 same select$4 same portion$1) and retriev$4) and memory) and interfac$4) and graphical) and retention	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/07 17:17
-	242	printing same (device$1 system$1) same retention same system$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 08:44
-	2321	(400/76).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 08:58
-	663	(400/61).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 09:00
-	721	(400/70).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:05
-	69	selected same portion$1 same print$4 same format same device$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 09:03

-	4	((400/76).CCLS.) and graphical adj user adj interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:28
-	3	((400/61).CCLS.) and graphical adj user adj interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:23
-	5	((400/70).CCLS.) and graphical adj user adj interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:23
-	1211	((400/76).CCLS.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:49
-	150	(((400/76).CCLS.) and memory) and driver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:30
-	125	((((400/76).CCLS.) and memory) and driver$1) and receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:30
-	27	(((((400/76).CCLS.) and memory) and driver$1) and receiv$4) and retriev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:46
-	2	("4825405").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:46
-	414	((400/61).CCLS.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:49

	Hits	Search Query	Databases	Date/Time
-	121	(((400/61).CCLS.) and memory) and driver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:50
-	105	((((400/61).CCLS.) and memory) and driver$1) and receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:50
-	20	(((((400/61).CCLS.) and memory) and driver$1) and receiv$4) and retriev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:56
-	330	((400/70).CCLS.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:57
-	110	(((400/70).CCLS.) and memory) and driver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:57
-	94	((((400/70).CCLS.) and memory) and driver$1) and receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:58
-	22	(((((400/70).CCLS.) and memory) and driver$1) and receiv$4) and retriev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:58
-	6	("4825405" | "4970554" | "5047955" | "5179637" | "5483623" | "5764863").PN.	USPAT	2002/11/12 15:54
-	0	6089765.URPN.	USPAT	2002/11/12 16:05
-	0	6089765.URPN.	USPAT	2002/11/12 16:05
-	0	6089765.URPN.	USPAT	2002/11/12 16:06
-	0	6089765.URPN.	USPAT	2002/11/12 16:06
-	6	("4825405" | "4970554" | "5047955" | "5179637" | "5483623" | "5764863").PN.	USPAT	2002/11/12 16:08
-	0	6089765.URPN.	USPAT	2002/11/12 16:08
-	3	5764863.URPN.	USPAT	2002/11/12 16:13
-	6	("4825405" | "4970554" | "5047955" | "5179637" | "5483623" | "5764863").PN.	USPAT	2002/11/12 16:15
-	4	("4970554" | "5047955" | "5179637" | "5559933").PN.	USPAT	2002/11/12 16:15
-	82	((print$4 same system$1) and graphical same selected same portion$1) and graphical same user same interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 08:23

	Search Text	DBs	Time Stamp
76	(((print$4 same system$1) same selected same portion$1) and graphical same user same interface$1) and receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 08:23
60	(((((print$4 same system$1) same selected same portion$1) and graphical same user same interface$1) and receiv$4) and retriev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 09:14
1862	print$4 same device$1 same selected same portion$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 08:57
72	(((((print$4 same system$1) same selected same portion$1) and graphical same user same interface$1) and receiv$4) and computers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 09:16
70	((((((print$4 same system$1) same selected same portion$1) and graphical same user same interface$1) and receiv$4) and computers) and stor$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 09:17
13	(((((((print$4 same system$1) same selected same portion$1) and graphical same user same interface$1) and receiv$4) and computers) and stor$4) and means	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 09:17
2083	printer same (without no) same driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:08
150	(printer same (without no) same driver) and graphical same user same interface$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:20
133	((printer same (without no) same driver) and graphical same user same interface$1) and computers same stor$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:24

•		
•	22	(((printer same (without no) same driver) and graphical same user same interface$1) and computers same stor$4) and selected same portion$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:25
•	101	printer same (without no) same processed same driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:10
•	14	(printer same (without no) same processed same driver) and selected same portion$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:12
•	663	(400/61).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:16
•	3	((400/61).CCLS.) and computer$1 same printer same (without no) same driver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:31
•	35	((400/61).CCLS.) and print$4 near ready	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:46
•	1	computers same network same printer same without near2 processed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:51
•	9	computers same network same printer same without near4 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:01
•	0	information same stor$3 same memory same print$3 near device$1 same without near4 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:05

2	stor$3 same print$3 near device$1 same without near4 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:09
19	print$3 near device$1 same without near4 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:13
21486	print$5 same (select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:27
19431	(print$5 same (select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:28
12572	((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) with print$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:34
11443	(((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) with print$5) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:37
144	((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) with print$5) and @ad<20011127) and printer same (without no) same driver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 10:33
90	(((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) with print$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:29
79	((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) with print$5) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:54

-	46	(((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) with print$5) and @ad<20011127) and (((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) near3 print$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:21
-	1	((((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) with print$5) and @ad<20011127) and (((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) near3 print$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:54
-	1	((((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) with print$5) and @ad<20011127) and print$3 near3 ((without no) near3 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:53
-	226	print$3 near3 ((without no) near3 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:18
-	1	((print$3 near3 ((without no) near3 driver)) and @ad<20011127) and (((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) with print$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:56
-	180	(print$3 near3 ((without no) near3 driver)) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 12:58
-	2	("20030097948").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 12:03
-	5	(without adj2 processed) near3 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:14
-	4	((without adj2 processed) near3 driver) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:16

1	(without adj2 processed) adj3 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 12:57
0	((without adj2 processed) adj3 driver) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 12:58
1	((without no$1) adj2 processed) adj3 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:12
7201	process$3 adj3 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:15
1091	process$3 adj1 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:03
969	(process$3 adj1 driver) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:33
1	((process$3 adj1 driver) and @ad<20011127) and print$3 near3 ((without no) adj3 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:20
1	((process$3 adj1 driver) and @ad<20011127) and print$3 near3 ((without no) near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:20
0	((process$3 adj1 driver) and @ad<20011127) and (((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) near3 print$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:25

	Count	Query	Databases	Date
•	308	((process$3 adj1 driver) and @ad<20011127) and (print$5 print$1ready (print adj ready))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:57
•	1	(((process$3 adj1 driver) and @ad<20011127) and (print$5 print$1ready (print adj ready))) and ((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:20
•	70037	print$3 adj1 print$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:33
•	64368	(print$3 adj1 print$3) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:43
•	57	((print$3 adj1 print$3) and @ad<20011127) and process$3 adj1 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:39
•	0	print$3 adj at adj printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:40
•	66	print$3 adj1 a$1 adj printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:42
•	1	print$3 adj1 a$1 adj (printing adj (device system apparatus unit mechanism))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:45
•	1	(print$3 adj1 a$1 adj (printing adj (device system apparatus unit mechanism))) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 13:48

-	49	(print$3 a$1 adj printer) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:01
-	1447	(print$1able (print adj able) print$1ready (print adj ready)) near2 (information data info)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:10
-	1271	((print$1able (print adj able) print$1ready (print adj ready)) near2 (information data info)) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:31
-	50	(((print$1able (print adj able) print$1ready (print adj ready)) near2 (information data info)) and @ad<20011127) and process$3 near2 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:09
-	12	((print$1able (print adj able) print$1ready (print adj ready)) near2 (information data info)) same (process$3 near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:13
-	7	(((print$1able (print adj able) print$1ready (print adj ready)) near2 (information data info)) same (process$3 near2 driver)) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:41
-	234	((print$1able (print adj able) print$1ready (print adj ready) processed) near2 (information data info)) same (process$3 near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:55
-	203	(((print$1able (print adj able) print$1ready (print adj ready) processed) near2 (information data info)) same (process$3 near2 driver)) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:13
-	55	((((print$1able (print adj able) print$1ready (print adj ready) processed) near2 (information data info)) same (process$3 near2 driver)) and @ad<20011127) and $3print$5 adj2 printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 14:44

Count	Query	Databases	Date
6127	group near2 print$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:12
2788	group near1 print$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:38
2477	(group near1 print$3) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:40
0	(((group near1 print$3) and @ad<20011127) and ((print$1able (print adj able) print$1ready (print adj ready) processed) near2 (information data info)) same (process$3 near2 driver)) and (((select$5 elect$5 highlight$3 choosing chosen interest$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:22
11	((group near1 print$3) and @ad<20011127) and ((print$1able (print adj able) print$1ready (print adj ready) processed) near2 (information data info)) same (process$3 near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:18
7	((group near1 print$3) and @ad<20011127) and (((select$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:29
85	users near2 group near2 print$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:39
3	((users near2 group near2 print$3) and @ad<20011127) and (((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 15:41
70	(users near2 group near2 print$3) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:05

Count	Query	Databases	Date/Time
100	(((plural$5 number multipl$5 series) adj (user client)) near5 ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:56
90	(((plural$5 number multipl$5 series) adj (user client)) near5 ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<2001127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:31
1	((((plural$5 number multipl$5 series) adj (user client)) near5 ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<2001127) and (((select$5 elect$5 highligh$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:59
0	((((plural$5 number multipl$5 series) adj (user client)) near5 ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<2001127) and (((select$5 elect$5 highligh$3 choosing chosen interest$3) near2 (information data info)) same (process$3 near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:19
25	((((plural$5 number multipl$5 series) adj (user client)) near5 ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism)))))) and @ad<2001127) and ((print$1able (print adj able) print$1ready (print adj ready)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:19
0	(((select$5 elect$5 highligh$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page) same ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:30
1052	(((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:31
846	((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)) and @ad<2001127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:54
25	(((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)) and @ad<2001127) and ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:38

	Count	Query	Databases	Date
-	25	((((((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone)) near3 page)) and @ad<20011127) and ((network sam$1 common shared) adj (printer (printing adj (device system apparatus unit mechanism))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:54
-	5705	((network sam$1 common shared) adj (printer (printing adj (device system apparatus unit mechanism))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:54
-	5008	(((network sam$1 common shared) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:54
-	1	(((((network sam$1 common shared) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<20011127) and (process$3 near2 driver)) and ((plural$5 number multipl$5 series) adj (user client)) near5 ((network sam$1 common) adj (printer (printing adj (device system apparatus unit mechanism))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:56
-	133	(((((network sam$1 common shared) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<20011127) and (process$3 near2 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 16:58
-	16	(((((network sam$1 common shared) adj (printer (printing adj (device system apparatus unit mechanism))))) and @ad<20011127) and (process$3 near2 driver)) and ((select$5 elect$5 highlight$3 choosing chosen interest$3) near2 (portion paragraph area region zone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 17:01
-	34	(group network$3) adj print$3 same reprint$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:42
-	30	((group network$3) adj print$3 same reprint$3) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:46
-	171	(group network$3) adj print$3 and reprint$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:45

-	2444	print$3 same reprint$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:45
-	146	((group network$3) adj print$3 and reprint$3) and @ad<20011127	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 13:47